



Technical Data Sheet : CreatBot TPU-95A

Date: 12.04.2022

Version No: 2.0

Physical Properties	Standard	Typical Value	Unit
Density	ISO1183	1.15	g/cm ³

Mechanical Properties	Standard	Typical Value	Unit
Tensile Strength	ISO527	52	MPa
Tensile Modulus	ISO527	7.8	MPa

Printed Specimen Conditions	
Printer	CreatBot F430
Nozzle Temperature	220°C
Bed Temperature	45°C
Print Speed	40mm/s
Infill	100%, +/- 45°
Nozzle size	0.4mm
Layer height	0.2mm